INDEX TO VOLUME 57, 1945

In addition to names of species and of authors, this index includes references to the following topics: bibliography, conservation, display, distribution, diving, food, hybridization, localities by states and countries, longevity, melanism, migration, molt, nesting, new forms noticed, population, predation, roosting, taxonomy, territory, voice, weight.

Aechmophorus occidentalis, 76
Aethia, 25 (footnote)
Agelaius phoeniceus, 198
Aix, 6, 30
  galericulata, 26, 27, 30, 32, 48, 129
  sponsa, 26, 27, 30, 32, 129, 131
Aldrich, John W. Birds of a Deciduous Forest Aquatic Succession (Part 2 of Symposium), 243–245
Alopochen aegyptiacus, 5, 6, 12, 14, 51
Amazonetta brasiliensis, 27, 30, 51
  vittata, 27 (footnote)
Anas, 6, 16–18, 50, 51, 52
  acuta, 13, 19, 51
  albogularis, see A. gibberifrons
  americana, 21–22
  andium, see A. flavirostris
  angustirostris, 19, 23
  aucklandica, 20, 50, 52
  bahamensis, 19, 51
  bernieri, 20
  brasiliensis, see Amazonetta brasiliensis
  capensis, 19
  castanea, 20
  chlorotis, see A. aucklandica
  clypeata, 22
  couesi, see A. strepera
  crecca, 19
  cyanoptera, 17, 22-23
  diazi, see A. fulvigula
  discors, 17, 22, 131
  eatoni, see A. acuta
  erythrorhyncha, 19
  falcata, 20
  flavirostris, 19, 21
  formosa, 20, 79, frontispiece
  fulvigula, 21
  f. maculosa, 266
  galapagensis, see A. bahamensis
  georgica, 19, 21, 51
  gibberifrons, 20
  laysanensis, see A. platyrhynchos
  leucophrys, 23, 46 (fig. 18), 48, 51, 54
  luzonica, see A. poecilorhyncha
  melleri, 21
  oustaleti,. see A. platyrhynchos
  penelope, 21-22, 51
  platalea, 17, 22
  platyrhynchos, 17, 19, 21, 27, 51, 52 131
  poecilorhyncha, 21
  punctata, 19
  querquedula, 17, 22
  rhynchotis 17, 22
  rubripes, 131; see also A. fulvigula
  sibilatrix, 16, 21–22, 51
  smithi, 22, 52
  sparsa, 16, 21
  specularioides, see Lophonetta specularioides
  specularis, 13, 18
  spinicauda, see A. georgica
  strepera, 20, 21, 22, 39, 51
  superciliosa, see A. poecilorhyncha
  undulata, 19, 21
  versicolor, 19, 23, 43
  waigiuensis, 18, 46 (fig. 17), 48, 52, 53
  wyvilliana, see A. platyrhynchos
Anatidae, 3–55
Anatinae, 7, 11–36, 43, 44
Anatini, 7, 15, 16–24, 43, 44, 48, 49, 50
Anhimae, 7
Anser, 6, 9, 10, 50, 51, 52
  albifrons, 9, 202
  anser, 51
  brachyrhynchus, see A. fabalis
  cygnoides, 51
  erythropus, 9
  fabalis, 9
  neglectus, see A. fabalis
Anseranas semipalmata, 5, 27, 28, 42, 43, 50, pl. 6
Anserinae, 7, 8–11, 44
Anserini, 7, 8–10, 43, 44, 45, 49, 50
Antbird, Spotted, 123
Antcatcher, Bicolored, 123
Antpitta, 123, 126
Ant-thrush, 122–128
Antrostomus carolinensis, 107
Antwren, 123
Archilochus colubris, 203
Arctonetta, 6; see also Somateria fischeri
Ardea herodias, 131
Arkansas, 61
Asarcornis, see Cairina scutulata
Attila rufus, 189
Australia, 51
Automolus leucophthalmus, 189
Aythya, 6, 25 (footnote), 26, 52; see also Nyroca
  affinis, 25, 26
  americana, 26
  australis, 26
  baeri, 26
  collaris, 26
  ferina, 26

INDEX TO VOLUME 57, 1945

In addition to names of species and of authors, this index includes references to the following topics: bibliography, conservation, display, distribution, diving, food, hybridization, localities by states and countries, longevity, melanism, migration, molt, nesting, new forms noticed, population, predation, roosting, taxonomy, territory, voice, weight.

Aechmophorus occidentalis, 76
Aethia, 25 (footnote)
Agelaius phoeniceus, 198
Aix, 6, 30
  galericulata, 26, 27, 30, 32, 48, 129
  sponsa, 26, 27, 30, 32, 129, 131
Aldrich, John W. Birds of a Deciduous Forest Aquatic Succession (Part 2 of Symposium), 243–245
Alopochen aegyptiacus, 5, 6, 12, 14, 51
Amazonetta brasiliensis, 27, 30, 51
  vittata, 27 (footnote)
Anas, 6, 16–18, 50, 51, 52
  acuta, 13, 19, 51
  albogularis, see A. gibberifrons
  americana, 21–22
  andium, see A. flavirostris
  angustirostris, 19, 23
  aucklandica, 20, 50, 52
  bahamensis, 19, 51
  bernieri, 20
  brasiliensis, see Amazonetta brasiliensis
  capensis, 19
  castanea, 20
  chlorotis, see A. aucklandica
  clypeata, 22
  couesi, see A. strepera
  crecca, 19
  cyanoptera, 17, 22-23
  diazi, see A. fulvigula
  discors, 17, 22, 131
  eatoni, see A. acuta
  erythrorhyncha, 19
  falcata, 20
  flavirostris, 19, 21
  formosa, 20, 79, frontispiece
  fulvigula, 21
  f. maculosa, 266
  galapagensis, see A. bahamensis
  georgica, 19, 21, 51
  gibberifrons, 20
  laysanensis, see A. platyrhynchos
  leucophrys, 23, 46 (fig. 18), 48, 51, 54
  luzonica, see A. poecilorhyncha
  melleri, 21
  oustaleti,. see A. platyrhynchos
  penelope, 21-22, 51
  platalea, 17, 22
  platyrhynchos, 17, 19, 21, 27, 51, 52 131
  poecilorhyncha, 21
  punctata, 19
  querquedula, 17, 22
  rhynchotis 17, 22
  rubripes, 131; see also A. fulvigula
  sibilatrix, 16, 21–22, 51
  smithi, 22, 52
  sparsa, 16, 21
  specularioides, see Lophonetta specularioides
  specularis, 13, 18
  spinicauda, see A. georgica
  strepera, 20, 21, 22, 39, 51
  superciliosa, see A. poecilorhyncha
  undulata, 19, 21
  versicolor, 19, 23, 43
  waigiuensis, 18, 46 (fig. 17), 48, 52, 53
  wyvilliana, see A. platyrhynchos
Anatidae, 3–55
Anatinae, 7, 11–36, 43, 44
Anatini, 7, 15, 16–24, 43, 44, 48, 49, 50
Anhimae, 7
Anser, 6, 9, 10, 50, 51, 52
  albifrons, 9, 202
  anser, 51
  brachyrhynchus, see A. fabalis
  cygnoides, 51
  erythropus, 9
  fabalis, 9
  neglectus, see A. fabalis
Anseranas semipalmata, 5, 27, 28, 42, 43, 50, pl. 6
Anserinae, 7, 8–11, 44
Anserini, 7, 8–10, 43, 44, 45, 49, 50
Antbird, Spotted, 123
Antcatcher, Bicolored, 123
Antpitta, 123, 126
Ant-thrush, 122–128
Antrostomus carolinensis, 107
Antwren, 123
Archilochus colubris, 203
Arctonetta, 6; see also Somateria fischeri
Ardea herodias, 131
Arkansas, 61
Asarcornis, see Cairina scutulata
Attila rufus, 189
Australia, 51
Automolus leucophthalmus, 189
Aythya, 6, 25 (footnote), 26, 52; see also Nyroca
  affinis, 25, 26
  americana, 26
  australis, 26
  baeri, 26
  collaris, 26
  ferina, 26

fuligula, 25, 26, 48
innotata, 26, 53
marila, 25, 26
novae-seelandiae, 26
nyroca, 26
valisineria, 25, 26
Aythyini, 7, 24–26, 43, 44, 48, 49, 50

Baker, Bernard, pl. 11
Barbour, Thomas. "A Naturalist in Cuba" (reviewed), 265; review by, 137
Barro Colorado Island, 122, 123
Basileuterus fulvicauda, 222, 227, 230, 232
Batara cinerea, 189
Baumgartner, Frederick M. New records for northcentral Oklahoma, 76–77
Baumgras, Philip. Crow killed by a Red-tailed Hawk, 129
Bibliography, 82–85, 138–142, 211–214, 267–271
Biziura lobata, 36
Blackbird, Brewer's, 247, 266
European, 58, 63, 67, 68, 70
Bobolink, 105, 247
Bob-white, 131, 193
Bonasa umbellus, 131
Bond, James. "Check-list of Birds of the West Indies" (reviewed), 137–138
Brackbill, Hervey. Robin using abandoned Cardinal nest, 261
Brant, 37
Branta, 9, 10, 50, 51, 52
bernicla, 37
canadensis, 131, pl. 2
leucopsis, 37
ruficollis, 37
sandwicensis, 9, pl. 2
Brazil, 26 (footnote), 188–190
Brooks, Maurice Graham, biog. sketch of, 135
Bubo virginianus, 131
Bucephala albeola, 32, 54
clangula, 34
islandica, 34
Buffle-head, 32, 54
Bunting, Indigo, 92, 107
Lark, 77, 247
Painted, 107
Buteo jamaicensis, 129, 131
lineatus, 131
Butorides virescens, 96

Cairina, 48, 49, 51
hartlaubi, 29
moschata, 27, 29, 47 (fig. 20)
scutulata, 29
Cairinini, 7, 11, 26–31, 44, 45, 48, 49, 50, 51
Calamospiza melanocorys, 77
California, 202
Calonetta, 23
Campeche, 92, 112–116
Campephilus principalis, 131
Camptorhynchus labradorius, 32, 33
Canada, 247, 248
Canvas-back, 25, 26
Capella gallinago delicata, 75, 76, 89
g. gallinago, 76
Cardinal, 193, 261
Care of young, 8, 10, 15, 22, 35, 44, 49, 147, 149, 151–152, 153, 157, 160–161, 162, 163, 178–182
Carpodacus purpureus, 67
Casarca, 5, 11; see also Tadorna
Castle-builders, 127
Catbird, 244
Cathartes aura, 203
Ceophloeus pileatus, 131
Cereopsis novae-hollandiae, 5, 11, 12, 13, 42, 43, 48, 50, pl. 4
Certhiaxis cinnamomea, 189
Chamberlain, Frank Wilbut. "Atlas of Avian Anatomy: Osteology, Arthrology, Myology" (reviewed), 138
Chapman, Frank M. Obituary, 264
Charadriiformes, 64
Charadrius hiaticula, 64
Chat, Yellow-breasted, 92, 107
Chateau de Clères, 3
Chaulelasmus, 17; see also Anas strepera
Chen, 6, 9, 131
atlantica, 37
caerulescens, 37
hyperborea, 37, 202
rossi, 37
Cheniscus, 40
Chenonetta jubata, 5, 27, 30–31, 42, 47 (fig. 19), 48, 129
Chenopis, see Cygnus atratus
Chickadee, Black-capped, 244
Chicken, Greater Prairie, 90–91, 133 (fig.)
Prairie, 131, 195
Chlidonias nigra, 204
Chloëphaga, 5, 6, 11, 12–14, 15, 27, 50
dispar, see C. picta
hybrida, 13
leucoptera, see C. picta
melanoptera, 13
picta, 13, 48, pl. 5
poliocephala, 13, pl. 5
rubidiceps, 13
Chondestes grammacus grammacus, 131
Chordeiles acutipennis, 109
minor, 107, 204
Chuck-will's-widow, 107
Cichlocolaptes leucophrys, 189
Circus cyaneus hudsonius, 131
Clangula hyemalis, 32, 34, 48

Coccyzus americanus, 107
erythrophthalmus, 101, 104
Colaptes auratus, 131
Colibri cyanotus, 165
thalassinus, 165–187
Colinus virginianus, 131, 193
Colorado, 261
Compsothlypis americana, 97, 98, 107
Conservation, 78, 136
Corvus brachyrhynchos, 129, 131
Corvus corax, 131
c. principalis, 266
c. sinuatus, 266
Coscoroba coscoroba, 6, 10, 11, 43, 45, pl. 3
Costa Rica, 123, 217, 223–240
Cowbird, Shiny, 189, 190
Crane, Little Brown, 131
Sandhill, 131, 247
Whooping, 134–135
Crow, 129, 131
Crypturellus obsoletus, 189, 190
Cuckoo, Black-billed, 101, 104
Yellow-billed, 107
Cyanochen cyanopterus, 11, 12, 14, 50
Cyanocitta cristata, 70
Cygnopsis, 9
Cygnus, 6
atratus, 8, 10, 49
bewicki, see C. columbianus
buccinator, 131; see also C. cygnus
columbianus, 8
cygnus, 8,
melanocoryphus, 8, 9
olor, 8, 9, 10

Dafila, 6
Dambach, Charles A. Wildlife Conservation, 78, 136
Davis, David E. The Occurrence of the Incubation-Patch in Some Brazilian Birds, 188-190
Delacour, Jean. The display of the Maned Goose, 129; biog. sketch of, 88
Delacour, Jean, and Ernst Mayr. The Family Anatidae, 3–55
Dendrocygna, 6, 9, 10–11, 49
arborea, 11
arcuata, 11
autumnalis, 11, 45
bicolor, 10, 11, 45, 52
eytoni, 11, 45, 46 (fig. 15), pl. 4
guttata, 11, 45, 46 (fig. 14)
javanica, 11
viduata, 10, 11, 52, pl. 3
Dendrocygnini, 7, 10–11, 43, 44, 45, 49, 50
Dendroica aestiva, 96, 101, 102, 196, 198
caerulescens, 104, 149–152, 162
castanea, 101, 105, 108
cerulea, 96, 98
discolor, 107, pl. 11
dominica, 97, 98, 107
d. albilora, 130
fusca, 98, 101, 105, 146 (fig. 1), 153–154, 162
magnolia, 101, 104, 146, 147 (fig. 2), 148, 162
pensylvanica, 101, 105, 150, 154–157, 162
potomac, 130
striata, 101, 102, 105
tigrina, 101, 104, 132
virens, 101, 105, 147 (fig. 2), 152–153, 154, 162
Dendronessa, 6; see also Aix galericulata
Dickcissel, 108, 130
Display, 3, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17–18, 19, 20, 21, 22, 23, 24, 25, 26, 28–29, 30, 31, 33, 34–35, 44, 49–50, 129, 148–149, 150, 158, 160, 170, 171–172, 222, 233–234, 239
Distribution, 51-53, 191–201, 243–252
Diving, 9, 11, 12, 16, 32, 44, 50
Dolichonyx oryzivorus, 105
Dove, Mourning, 193, 198
Dowitcher, 89, 133, pl. 8
Drymophila ferruginea, 189
milura, 189
Dryobates villosus, 159
Duck,
African Black, 16, 21
African Red-billed, 19
African Yellow-billed, 19, 21
African White-backed, 36
Argentine Ruddy, 35
Australian, 21, 39
Australian Musk, 36,
Australian White-eyed, 26
Baer's White-eyed, 26
Bahama, 19, 51
Black, 21, 39, 131
Black-billed Whistling, 11, 37
Black-headed, 36, 54
Blue, 23, 54
Blue-billed, 35
Bronze-winged, 13, 18
Comb, 28-29, 43, 48, 49, pl. 7
Common White-eyed, 26
Crested, 11, 12, 13, 15, 18, 54
Dusky, 21
Freckled, 6, 24, 42, 43, 54
Fulvous Whistling, 10, 11, 45, 52
Galápagos Island, 19, 38
Harlequin, 32, 34, 48
Hartlaub's, 29
Hawaiian, 21, 39, 52
Indian Whistling, 11, 37
Labrador, 32, 33
Maccoa, 41
Madagascan White-eyed, 26, 53
Mandarin, 26, 27, 30, 32, 48, 129
Masked, 35
Meller's, 21

Mexican, 21, 39
Mottled, 266
Muscovy, 27, 29, 47 (fig. 20)
New Zealand, 26
North American Ruddy, 35
Peruvian Ruddy, 35, 41
Philippine, 21, 39
Pink-eared, 6, 23, 50, 54
Pink-headed, 23, 52, 54
Plumed Whistling, 11, 45, 46 (fig. 15), pl. 4
Red-billed Whistling, 11, 37, 45
Ring-necked, 26, 131
Salvadori's, 18, 46 (fig. 17), 48, 52, 53
Southern Stiff-tailed, 47 (fig. 22)
Spotted Whistling, 11, 45, 46 (fig. 14)
Steamer, 6, 11, 15, 38
Torrent, 23, 36, 45, 47 (fig. 23), 48–49, 50, 54
Tufted, 25, 26, 48
Wandering Whistling, 11, 37
White-faced Whistling, 10, 11, 52, pl. 3
White-headed, 35
White-winged, 29
Wood, 26, 27, 30, 32, 129, 131

Eagle, Bald, 131
Ectopistes migratorius, 131
Eider, 6, 43, 48
Common, 33
King, 33
Spectacled, 33, 52
Steller's 33
Elaenia mesoleuca, 189
Empidonax euleri, 189, 190
flaviventris, 104
minimus, 101
traillii, 101
virescens, 96, 107
Ereunetes pusillus, 203
Ergaticus versicolor, 222, 230
Erithacus rubecula melophilus, 63, 67, 70
Erolia minutilla, 203
Eulabeia, 9, 37
Eupetomena macroura, 189, 190
Euphagus cyanocephalus, 266

Falco sparverius, 203
Farner, Donald S. Age Groups and Longevity in the American Robin, 56–74, 142 (footnote)
Figgins, Jesse Dade. "Birds of Kentucky" (reviewed), 265–267
Finch, Purple, 67, 247
Flicker, 131
Florida, 97, 103, 104–105, 109, 118
Flycatcher, Acadian, 96, 107
Alder, 101, 244
Crested, 127, 195
Least, 101
Olive-sided, 247
Yellow-bellied, 104
Food, 8, 11, 12, 25, 32, 35, 44, 50, 77, 123, 132, 179–181, 196, 202, 204, 218, 224–225, 234–235, 262
Formicarius analis, 122–128

Gadwall, 20, 21, 22, 39, 51
Gavia immer, 131
Georgia, 61, 104–105, 106
Georgia Ornithological Society, 271
Geothlypis trichas, 158–159, 161
Godwit, Marbled, 247
Golden-eyes, 6, 34, 35
Goldfinch, Eastern, 244
Goosander, 34, 43
Goose, 4-5, 8–10, 43
Abyssinian Blue-winged, 11, 12, 14, 50
African Pygmy, 31
African Spur-winged, 27, 28, 43, 47 (fig. 21). 48, 50, pl. 7
Andean, 13
Ashy-headed, 13, pl. 5
Bar-headed, 37
Barnacle, 37
Bean, 9, 37
Blue, 37, 131
Canada, 131, pl. 2
Cape Barren, 5, 11, 12, 13, 42, 43, 48, 50, pl. 4
Chinese, 51
Egyptian, 5, 6, 12, 14, 51
Emperor, 37
Gray, 51
Green Pygmy, 31
Grey-Lag, 51
Hawaiian, 9, pl. 2
Indian Pygmy, 31
Kelp, 13
Lesser White-fronted, 9
Magellan, 13, 48, pl. 5
Maned, 5, 27, 30–31, 42, 47 (fig. 19), 48, 129
Orinoco, 11, 12, 14, 43, pl. 6
Pied, 5, 27, 28, 42, 43, 50, pl. 6
Pink-footed, 9, 37
Red-breasted, 37
Ross's, 37
Ruddy-headed, 13
Snow, 37, 131, 202
Sushkin's, 9, 37
White-fronted, 9, 202
Goslin, Robert. Bird remains from an Indian village site in Ohio, 131
Grackle, Boat-tailed, 266
Grallaria, 123
perspicillata, 126
Grebe, Pied-billed, 131, 244
Western, 76
Greene, Earle R., William W. Griffin, Eugene P. Odum, Herbert L. Stoddard, Ivan R. Tomkins, and Eu-

gene E. Murphey. "Birds of Georgia" (reviewed), 209–210
Griffin, William W., see Greene, Earle R., *et al.*
Grinnell, Joseph, and Alden H. Miller. "The Distribution of the Birds of California" (reviewed), 207–209
Griscom, Ludlow. "Modern Bird Study" (reviewed), 137; review by, 207–209
Grosbeak, Rose-breasted, 101, 102, 105, 194 (footnote)
Grouse, Prairie Sharp-tailed, 90–91
Ruffed, 131
Grus canadensis canadensis, 131
c. tabida, 131
Guatemala, 217, 218–223
Guira guira, 189, 190
Gull, Black-headed, 64, 70
Bonaparte's, 204
Herring, 202
Ring-billed, 77, 204
Gymnopithys bicolor, 123

Habia rubica, 189
Haliaeetus leucocephalus, 131
Hamerstrom, Frances, review by, 81
Haplospiza unicolor, 189
Hawk, Marsh, 131, 247
Red-shouldered, 131
Red-tailed, 129, 131
Sparrow, 203
Hedymeles ludovicianus, 101, 102, 105, 194 (footnote)
Heliobletus contaminatus, 189
Helmitheros vermivorus, 107, 262
Hemitriccus diops, 189
Heron, Great Blue, 131
Green, 96
Heteronetta atricapilla, 36, 54
Hickey, Joseph J. Birds of the Deciduous Forest(Part 3 of Symposium), 245–246
Hicks, Lawrence E. Some West Virginia breeding-season records, 129–131
Hirundo erythrogaster, 203
Histrionicus histrionicus, 32, 34, 48
Holland, Ray P., see Hunt, Lynn Bogue, and—
Hummingbird, Broad-tailed, 174 (fig. 5), 175
Mexican Violet-eared, 165-187
Ruby-throated, 203
Swallow-tailed, 189, 190
White-eared, 168, 171, 174 (fig. 5), 175, 176, 179
Hunt, Lynn Bogue, and Ray P. Holland. "Game Birds of America" (reviewed), 81
Hybridization, 9, 19, 22, 27, 28, 30, 34, 51
Hylocharis leucotis, 168, 171, 174 (fig. 5), 175, 176, 179
Hylocichla fuscescens, 99 (footnote), 104, 196
minima, 99 (footnote), 104
mustelina, 195
ustulata, 99 (footnote), 102, 104
Hylophylax naevioides, 123
Hymenolaimus malacorhynchos, 23, 54

Icteria virens, 92, 107
Icterus galbula, 107
spurius, 96, 98, 107
Incubation-patch, 188–190
Indiana, 204
Inland Bird Banding Association, 86

Jaques, Francis L., 80
Jay, Blue, 70, 244
Steller's, 247

Kendeigh, S. Charles. Nesting Behavior of Wood Warblers, 145–164
Kentucky, 202, 265–267
Kingbird, Arkansas, 127
Eastern, 95, 107, 193, 244
Knight, John Alden. "Woodcock" (reviewed), 80–81

Lapwing, 67, 70
Lark, Horned, 247
Prairie Horned, 195
Larus argentatus, 202
delawarensis, 77, 204
philadelphia, 204
r. ridibundus, 64, 70
Lepidocolaptes fuscus, 189
Limnodromus griseus, 89, 133 (fig.), pl. 8
Limnothlypis swainsonii, 107-108, 129
Longevity, 56–74
Longspur, Chestnut-collared, 247
Loon, Common, 131
Lophodytes, see Mergus cucullatus
Lophonetta specularioides, 11, 12, 13, 15, 18, 54
Lophortyx californica, 64
Lorenz, K., 3
Louisiana, 95–96, 97–98, 99–102, 103, 104–105, 106, 108–109, 113–114, 118–119, pls. 9–10
Lovell, Harvey B. Reaction of American Mergansers to Herring Gull depredations, 202
Lowery, George H. Jr. Trans-Gulf Spring Migration of Birds and the Coastal Hiatus, 92-121; review by, 209–210

Malacorhynchus membranaceus, 6, 23, 50, 54
Mallard, 12, 24 (fig.)
Common, 17, 19, 21, 27, 51, 131, 244

Marianas, 21, 39
Mareca, 17; see also Anas
Martin, Purple, 95, 107
Maryland, 261
Mayr, Ernst. "Birds of the Southwest Pacific" (reviewed), 80; see also Delacour, Jean, and—
Mayr, Margaret, translation by, 165–187
Meadowlark, 193, 247
Melanism, 75-76
Melanitta fusca, 32, 33–34, 43, 48
nigra, 32, 33–34, 43, 48
perspicillata, 32, 33–34, 48
Meleagris gallopavo, 131, 204
Melospiza melodia, 198
m. euphonia, 63, 67, 72
Merganetta, 23, 36, 48–49, 54
armata colombiana, 47 (fig. 23)
Merganettini, 7, 36, 44, 45, 48–49, 50
Merganser, 4, 34–35, 48, 50–51
American, 202; see also Goosander
Auckland Island, 33
Brazilian, 33
Hooded, 32, 34, 35, 54
Red-breasted, 34, 43
Scaly-sided, 41
Mergellus, see Mergus albellus
Mergini, 6, 7, 32–35, 43, 44, 45, 48, 49, 50
Mergus, 34–35, 48, 50–51
albellus, 32, 34, 35,
australis, 33
cucullatus, 32, 34, 35, 54
merganser, 34, 43
m. americanus, 202
octosetaceus, 33
serrator, 34, 43
squamatus, 41
Metopiana, see Netta peposaca
Michigan, 75, 129
Microrhopias quixensis, 123
Migration, 62, 92–121, 166–167, 203–204
Miller, Alden H., review by, 138; see also Grinnell, Joseph, and—
Mimus saturninus, 189
Mississippi, 96–97, 98–99, 101, 103, 104–105, 109, 112–113, 115
Mniotilta varia, 97, 98, 147, 162, 262
Molothrus bonariensis, 189, 190
Molt, 8, 16, 20, 22–23, 28, 31, 33, 34, 35, 44, 45, 223, 234, 239
Moore, A. D. Winter Night Habits of Birds, 253–260
Murphey, Eugene E., see Greene, Earle R., *et al.*
Myiarchus crinitus, 127, 195
Myiobius atricaudus, 189
Myioborus miniatus aurantiacus, 223-234, 236
m. connectens, 218 (footnote)
m. hellmayri, 217–223, pl. 12
m. pallidiventris, 224
torquatus, 222, 228, 230, 234–240
Myiochanes virens, 107, 195
Myiodynastes solitarius, 189, 190
Myiozetetes similis, 189
Myrmeciza loricata, 189

Nelson, Theodora, biog. sketch of, 216
Neochen jubatus, 11, 12, 14, 43, pl. 6
Nesochen, see Branta sandwicensis
Nesonetta, see Anas aucklandica
Nesting, 8, 11, 12, 13, 14, 27, 32, 34, 35, 44, 50, 122–128, 145–164, 165–187, 217–242, 261
Netta erythrophthalma, 25–26, 52
peposaca, 25–26, 43
rufina, 25–26, 43
Nettapus, 27, 28, 30, 48
auritus, 31
coromandelianus, 31
pulchellus, 31
Nettion, 6
New forms noticed: Agelaius xanthomus monensis, 139
Amphispiza bilineata carmenae, 268
Amphispiza bilineata sanctissima, 268
Carpodacus cassinii vinifer, 268
Carpodacus purpureus rubidus, 268
Centurus carolinus perplexus, 83
Cyanocitta stelleri atriceps, 139
Lochmias nematura nelsoni, 82
Pelecanus occidentalis murphyi, 268
Pelecanus occidentalis urinator, 268
Polioptila albiloris vanrossemi, 82
Regulus satrapa amoenus, 140
Thryomanes bewickii altus, 82
Troglodytes brunneicollis vorhiesi, 267
New York, 145–164
Niedrach, Robert J. Colorado nesting records of Starlings, 261
Nighthawk, 107, 204, 247
Texas, 109
Nomenclature, 5
Nomonyx, see Oxyura dominica
North Carolina, 61
Nutcracker, Clark's, 247
Nuthatch, Eastern White-breasted, 244
Red-breasted, 247
Nyroca, 6; see also Aythya
affinis, 131
americana, 64
collaris, 131

Odum, Eugene P. The Concept of the Biome as Applied to the Distribution of North American Birds (Part 1 of Symposium), 191–201; see also Greene, Earle R., *et al.*
Ohio, 131, 132, 243–245, 262
Oidemia, see Melanitta nigra
Oklahoma, 76–77, 142
Old-squaw, 32, 34, 48

Onychorhynchus swainsoni, 189
Oporornis agilis, 110–112
formosus, 96, 98, 107
philadelphia, 110-112
Oriole, Baltimore, 107
Orchard, 96, 98, 107
Ostinops decumanus, 189
Otocoris alpestris praticola, 195
Oven-bird, 98, 101, 105, 146, 147, 158, 159, 244
Owl, Barred, 131, 132
Burrowing, 247
Great Horned, 131
Short-eared, 247
Oxyura australis, 35
a. australis, 47 (fig. 22)
dominica, 35
ferruginea, 35
jamaicensis, 35
leucocephala, 35
vittata, 35
Oxyurini, 7, 35–36, 43, 44, 45, 48, 49, 50

Pachyramphus polychopterus, 189
Palmyra Island, 52
Parus bicolor, 193
Passerherbulus henslowi, 130
Passerina ciris, 107
cyanea, 92, 107
Pedioecetes phasianellus campestris, 90–91
Peet, Dr. Max Minor, biog. sketch of, 272
Peters, James Lee. "Check-list of Birds of the World" (reviewed), 206–207; review by, 137–138
Peterson, Roger Tory. Coniferous Forest Birds (Part 5 of Symposium), 247–248
Pettingill, Olin Sewall Jr., biog. sketch of, 216; review by, 80–81
Pewee, Eastern Wood, 195, 244
Wood, 107
Philacte, 6, 9, 37
Phillips, Richard Stuart. Cape May Warblers capturing flying insects, 132
Philohela minor, 77, 131
Phoenicopteri, 7
Phyllomyias griseocapilla, 189, 190
Piaya cayana, 189
Pigeon, Passenger, 131
Pintail, Common, 13, 19, 51
Eaton's, 19, 39
South American Brown, 19, 21, 51
South Georgian, 19
Pipit, Sprague's, 247
Piranga olivacea, 101, 102, 105, 106
rubra, 98, 107
Platycichla flavipes, 189
Plectropterus gambensis, 27, 28, 43, 47 (fig. 21), 48, 50, pl. 7
Plover, Ringed, 64
Upland, 247
Pochard, European, 26
Red-crested, 25–26, 43
Rosy-billed, 25–26, 43
Southern, 25–26, 52
Podilymbus podiceps, 131
Polysticta, 6; see also Somateria stelleri
Population, 56–74
Predation, 129
Procnias nudicollis, 189, 190
Progne subis, 95, 107
Protonotaria citrea, 97, 98, 107
Pseudotadorna, see Tadorna cristata
Pteronetta, see Cairina hartlaubi
Pyriglena leucoptera, 189
Pyrrhura frontalis, 189

Quail, California, 64
Querquedula, 17

Rail, Virginia, 244
Raven, 131
American, 266
Rea, Gene. Black and White Warbler feeding young of Worm-eating Warbler, 262
Redhead, 26, 64
Redstart, American, 92, 96, 98, 156, 157, 159, 162, 194 (footnote)
Collared, 222, 228, 230, 234–240
Costa Rican Orange-bellied, 223–234, 236
Pacific Orange-bellied, 217–223, pl. 12
Red-wing, 198
Eastern, 244
Rhodonessa caryophyllacea, 23, 52, 54
Richmondena cardinalis, 193, 261
Rindisbacher, Peter, 89–91, 133, pl. 8
Robin, American, 56–74, 195, 261
English, 63, 67, 70
Southern, 71, 142
Roosting, 253–260

Salvadorina, see Anas waigiuensis
Sandpiper, Least, 203
Semi-palmated, 203
Sapsucker, Williamson's, 247
Sarkidiornis carunculatus, see S. melanotos
melanotos, 28–29, 43, 48, 49, pl. 7
Scaup, 24 (fig.), 25, 48
Greater, 26
Lesser, 26, 131
Schistochlamys ruficapillus, 189
Schorger, A. W. Bird Portraits by Peter Rindisbacher, 89–91; Absorbent for use in the preparation of scientific skins, 261
Schwartz, Charles W. "The Prairie

Chicken in Missouri" (reviewed), 81
Sclerurus scansor, 189
Scolopax rusticola, 64, 67
sabini, 76
Scoter, 4, 6
Common, 32, 33–34, 43, 48
Surf, 32, 33–34, 48
White-winged, 32, 33–34, 43, 48
Seidel, Alexander, 45 (footnote), 46–47 (figs. 14–23), 80
Seiurus aurocapillus, 98, 101, 105, 146, 147, 158, 159
motacilla, 98, 158, 162
noveboracensis, 101, 105, 108
Selasphorus platycercus, 174 (fig. 5), 175
Sensenig, E. Carl. The formation of pellets by the Barred Owl, 132
Serology, 51
Setophaga ruticilla, 92, 96, 98, 156, 157, 159, 162, 194 (footnote)
Sheldrake, 5, 6
Australian, 14, 15
Common, 12, 14, 15, 43
Korean, 14, 53
Paradise, 15
Radjah, 12, 14, 15
Ruddy, 12, 14, 15, 45, 46 (fig. 16)
South African, 15
Shelford, V. E. (ed.) Bird Distribution and Ecological Concepts, A Symposium of the Wilson Ornithological Club, 191–201, 243-252; (auth.) Part 6. The Relative Merits of the Life Zone and Biome Concepts, 248-252
Sheppard, R. W. Gulls and terns hawking flying insects, 204
Shortt, Terence M. Baikal Teal *(Anas formosa)*, frontispiece
Shoveller, 50
Australian-New Zealand, 17, 22
Cape, 22, 52
Common, 22
South American, 17, 22
Siskin, Pine, 247
Skutch, Alexander F. On the Habits and Nest of the Ant-thrush *Formicarius analis*, 122–128; Studies of Central American Redstarts, 217–242
Smew, 32, 34, 35
Snipe, Common, 76
Sabine's, 76
Wilson's, 75–76, 89
Solitaire, Townsend's, 247
Somateria, 6, 32, 43, 48
fischeri, 33, 52
mollissima, 33
spectabilis, 33
stelleri, 33
Sooter, Clarence A. Soaring geese at Tulelake, California, 202
South Africa, 26 (footnote)
South Carolina, 61
Sparrow, Baird's, 247
Eastern Lark, 131
Eastern Swamp, 244
Henslow's, 130
Mississippi Song, 244
Song, 63, 67, 72, 198
Spatula, 17, see also Anas
Spiza americana, 108, 130
Spot-bill, 21
Starling, 63, 67, 70, 72, 261
Sterna hirundo, 204
Stevens, O. A. Grassland Birds (Part 4 of Symposium), 247
Stictonetta naevosa, 6, 24, 42, 43, 54
Stoddard, Herbert L. Sr., biog. sketch of, 272; see also Greene, Earle R., *et al.*
Strix varia, 131, 132
Sturnella magna, 193
Sturnus vulgaris, 63, 67, 70, 72, 261
Sutton, George Miksch, review by, 265–267
Swallow, Barn, 203
Swan, 8, 9, 43
Bewick's, 8, 37
Black, 8, 10, 49
Black-necked, 8, 9
Mute, 8, 9, 10
Trumpeter, 8, 37, 131
Whistling, 8
Whooper, 8
Swan-goose, 51
Synallaxis, 127
Syndactyla rufosuperciliata, 189

Tachyeres, 6, 11, 15, 38
Tadorna, 5, 6, 11, 12, 13, 14–15, 52
cana, 15
cristata, 14, 53
ferruginea, 12, 14, 15, 45, 46 (fig. 16)
radjah, 12, 14, 15
tadorna, 12, 14, 15, 43
tadornoides, 14, 15
variegata, 15
Tadornini, 7, 11–15, 44, 45–48, 49, 50
Tanager, Scarlet, 101, 102, 105, 106
Summer, 98, 107
Tanagra chalybea, 189
Taxonomy, 3–6, 53 (fig. 24), 79
Teal,
Andaman, 20, 39
Andean, 39
Auckland Island, 20, 52
Baikal, 29, 79, frontispiece
Blue-winged, 17, 22, 131
Brazilian, 27, 30, 51
Brown, 20, 39, 50, 52

Cape, 19
Chestnut-breasted, 20
Cinnamon, 17, 22–23
Cotton, 31
Falcated, 20
Garganey, 17, 22
Gray, 20
Green-winged, 19
Hottentot, 19
Laysan, 21, 39, 52
Madagascan, 20
Marbled, 19, 23
Ringed, 23, 46 (fig. 18) 48, 51, 54
Versicolor, 19, 23, 43
Yellow-billed, 19, 21
Tennessee, 102, 103, 104–105, 106
Tern, Black, 204
Common, 204
Territory, 145–163, 168, 172–175
Thalassornis leuconota, 36
Thlyposis sordida, 189
Thorp, George B., letter, 144
Thraupis ornata, 189
Thrush, Gray-cheeked, 99 (footnote), 104, 247,
Hermit, 247
Olive-backed, 99 (footnote), 102, 104
Song, 63, 67, 68, 70
Wood, 195
Thryomanes bewickii, 127
Thryothorus ludovicianus, 193
Titmouse, Tufted, 193, 244
Tityra cayana, 189, 190
Tomkins, Ivan R., see Greene, Earle R., *et al.*
Trautman, Milton B., see Van Tyne, Josselyn, and—
Trautman, Milton B., and Mary A. Trautman. Ring-billed Gulls fly-catching, 77
Trichothraupis melanops, 189
Troglodytes, 127
aëdon, 72
musculus, 189
Trogonurus rufus, 189
Turdus e. ericetorum, 63, 67, 68, 70
m. merula, 58, 63, 67, 68, 70
migratorius, 56–74, 195, 261
migratorius achrusterus, 71 (footnote), 142
Turkey, 131, 204
Tympanuchus cupido, 131, 195
c. pinnatus, 90–91, 133
Tyrannus tyrannus, 95, 107, 193
verticalis, 127

Utah, 52

Vanellus vanellus, 67, 70
Van Tyne, Josselyn. A melanistic specimen of Wilson's Snipe, 75–76; reviews by, 80, 81, 206–207, 265
Van Tyne, Josselyn, and Milton B. Trautman. Migration records from Yucatan, 203–204
Veery, 99 (footnote), 104, 196
Vermivora chrysoptera, 101, 104, 156
peregrina, 104
pinus, 101, 102, 104
ruficapilla, 101, 102, 104, 108–109, 148
superciliosa, 222
Violet-ear, Mexican, 165–187
Vireo flavifrons, 98, 107
gilvus, 107, 109
griseus, 97, 98
olivaceus, 96, 107, 198, 199
philadelphicus, 101, 104, 109
Vireo,
Philadelphia, 101, 104, 109
Red-eyed, 96, 107, 198, 199, 244
Warbling, 107, 109
White-eyed, 97, 98
Yellow-throated, 98, 107
Virginia Society of Ornithology, 86
Voice, 7, 8, 10, 12, 13, 14, 15, 16, 19, 20, 21, 22, 23, 25, 28, 31, 33, 35, 36, 44, 122, 145–164, 169–170, 219, 221, 223, 225, 235
Vulture, Turkey, 203

Wagner, Helmuth O. Notes on the Life History of the Mexican Violet-ear, 165–187
Warbler, Bay-breasted, 101, 105, 108, 247
Black and White, 97, 98, 147, 162, 262
Blackburnian, 98, 101, 105, 146 (fig. 1), 153–154, 162
Black-poll, 101, 102, 105, 247
Black-throated Blue, 104, 149–152, 162
Black-throated Green, 101, 105, 147 (fig. 2), 152–153, 154, 162
Blue-winged, 101, 102, 104
Buff-rumped, 222, 227, 230, 232
Canada, 101, 105, 146 (fig. 1), 159
Cape May, 101, 104, 132, 247
Cerulean, 96, 98
Chestnut-sided, 101, 105, 150, 154-157, 162
Connecticut, 110–112
Eastern Yellow, 244
Golden-winged, 101, 104, 156
Hartlaub's, 222
Hooded, 97–98, 107
Kentucky, 96, 98, 107
Magnolia, 101, 104, 146, 147 (fig. 2), 148, 162, 247
Mourning, 110–112
Nashville, 101, 102, 104, 108–109, 148
Parula, 97, 98, 107, 247
Pink-headed, 222, 230

Prairie, 107, pl. 11
Prothonotary, 97, 98, 107
Sutton's, 130
Swainson's, 107–108, 129
Sycamore, 130
Tennessee, 104
Wilson's, 109–110
Worm-eating, 107, 262
Yellow, 96, 101, 102, 196, 198
Yellow-throated, 97, 98, 107
Water-thrush, Louisiana, 98, 158, 162
Northern, 101, 105, 108
Weight, 185
West Africa, 28
West Virginia, 129–131
Wetmore, Alexander, Record of the Turkey from the Pleistocene of Indiana, 204
Widgeon, 49
American, 21–22
Chilöe, 16, 21–22, 51
European, 21–22, 51
Willett, George. Obituary, 205
Wilson Ornithological Club, Library, 88, 143, 215, 216, 264; Membership Roll, 273–301; New Life Members, 88, 135, 216, 272; Reports, 86–87, 143, 144, 262; Symposium, 191–201, 243–252
Wilsonia canadensis, 101, 105, 146 (fig. 1), 159
citrina, 97–98, 107
pusilla, 109–110
Woodcock, American, 77, 131
European, 64, 67
Woodpecker, Eastern Hairy, 244
Hairy, 159
Ivory-billed, 131
Northern Downy, 244
Pileated, 131
Wren, Bewick's, 127
Carolina, 193
House, 72, 127
Long-billed Marsh, 244
Rock, 247

Xenonetta nesiotis, see Anas aucklandica
Xiphocolaptes albicollis, 189

Yellow-throat, 158–159, 161
Northern, 244
Yucatan, 92, 112–116, 118, 203–204

Zenaidura macroura, 193, 198